



Rangitikei District Council

Hunterville Community Committee Meeting

Order Paper – Monday 15 August 2011 – 7:30 p.m.

Contents

1	Welcome	2	
2	Apologies.....	2	
3	Minutes of last meeting	2	Attachment 1 pages 1- 4
4	Matters arising	2	
5	Council decisions on recommendations from the Committee	2	
6	Possible remedies for local flooding on footpath outside 12 Milne Street	2	
7	Update on pre-consultation process for 2012-22 Long Term Plan	2	Attachment 2 pages 5-10
8	Update on broadband.....	3	Attachment 3 pages 11-12
9	Small projects grants.....	3	Attachment 4 pages 13-14
10	General business	3	
11	Date of next meeting	3	
12	Meeting closed.....	3	

The quorum for the Hunterville Community Committee is 4 plus one elected member of Council

At its meeting of 28 October Council resolved that 'The quorum at any meeting of a standing committee or sub-committee of the Council (including Te Roopu Ahi Kaa, the Community Committees, the Reserve Management Committees and the Rural Water Supply Management Sub-committees) is that required for a meeting of the local authority in SO 2.4.3 and 3.4.3.'

1 Welcome

2 Apologies

3 Minutes of last meeting

Recommendation

That the Minutes of the Hunterville Community Committee meeting held on 20 June 2011 be taken as read and verified as an accurate and correct record of the meeting.

4 Matters arising

5 Council decisions on recommendations from the Committee

At its meeting on 30 June Council confirmed the following recommendation from the Hunterville Community Committee:

11/HCC/011

HCC recommends that RDC assesses the local flooding on the footpath outside 12 Milne Street and reports to us for the next meeting on what remedy may be needed.

6 Possible remedies for local flooding on footpath outside 12 Milne Street

Further investigations are being completed regarding the flooding outside 12 Milne Street. There appears to be issues with sump connections and adjoining open water tables. The work should be undertaken by the end of August, which will include cleaning out of the kerb and channel, driveway culverts and the sump connections. Should the investigations show that the issue is related to the size and capacity of the underground stormwater system, then the matter will be referred to the water asset manager for resolution.

7 Update on pre-consultation process for 2012-22 Long Term Plan

A report is attached.

File 1-LTP-8

Recommendations

- 1 That the report "Update on pre-consultation process for 2012-22 Long Term Plan" be received.
- 2 That the Committee provides further comment on processes identified in the report "Update on pre-consultation process for 2012-22 Long Term Plan (appendix 2)" as the basis for further engagement with the Turakina community over its Community and Leisure Assets group of activities.

8 Update on broadband

A report is attached.

File 1-CO-1-2

Recommendation

That the memorandum "Update on Broadband" be received.

9 Small projects grants

A memorandum is attached.

File 3-GF-9

Recommendation

That the memorandum "Small Projects Grant" be received.

10 General business

11 Date of next meeting

17 October 2011

12 Meeting closed